- GRINDER PUMP MUST BE LOCATED A MINIMUM OF 10 FT. FROM STRUCTURE.
- 2. BUILDING SEWER SHALL BE CONSTRUCTED IN ACCORDANCE WITH DEP GUIDELINES, TOWNSHIP RULES AND REGS., AND INTERNATIONAL PLUMBING CODES.
- 3. CONTRACTOR TO COORDINATE LOCATION OF GRINDER PUMP UNIT AND CONTROL PANEL WITH PROPERTY OWNER. FOR MAINTENANCE PURPOSES, THE GRINDER PUMP CONTROL PANEL SHALL BE VISIBLE FROM PUBLIC ROAD.
- DISTANCE BETWEEN DWELLING AND PRESSURE LATERAL SHALL BE 5' MINIMUM, OR AS REQUIRED BY LOCAL CODES, ORDINANCES, RULES AND REGULATIONS OF GOVERNING SERVICE AUTHORITY.

GRINDER PUMP INSTALLATION SCHEMATIC

NOT TO SCALE

THE DETAILS ON THIS SHEET PRESENT THE MINIMUM REQUIREMENTS FOR THE CONSTRUCTION OF WASTEWATER COLLECTION FACILITIES WHICH ARE TO CONVEY WASTEWATER TO AND THROUGH THE FAIRCHANCE — GEORGES JOINT MUNICIPAL SEWAGE AUTHORITY'S COLLECTION, CONVEYANCE AND TREATMENT SYSTEM. THE SITE DEVELOPER'S DESIGN ENGINEER UTILIZING THESE DETAILS SHALL REVIEW THE DETAILS AND PRESENT ANY MODIFICATIONS NECESSITATED BY SITE CONDITIONS TO THE AUTHORITY FOR REVIEW, THE AUTHORITY NOTIFIER WARRANIS NOR GUARANTEES THAT THE DETAILS PRESENTED HEREIN ARE APPLICABLE TO ALL SITE CONDITIONS. THE USE OF THIS SHEET IN THE PROJECT'S CONSTRUCTION DOCUMENTS SHALL SIGNIFY THAT THE SITE DEVELOPER'S DESIGN ENGINEER HAS REVIEWED THE DETAILS AND FOUND THEM ACCEPTABLE FOR THE PROJECT.

ering & Related Services AN EMPLOYEE-OWNED COMPANY

Fest Kensinger Drive, Suite 400 nberry Township, PA 16064 (724) 779 - 4777 Fax (724) 779 - 4711 https://www.htg-inc.com www.htg-inc.com

MUNICIPAL SEWAGE AUTHORITY STANDARD DETAILS

PROJ. MG	R CEH
DESIGN-	CEH
CADD-	CRC
CHECKED	-
SCALE-	AS SHOWN
DATE-	FEB. 2016

DT-20

DRAWING NO.

PROJECT 004307.0000

FAIRCHANCE - GEORGES JOINT

- FIELD JOINT REQUIRED FOR MODELS TALLER THAN 93"
- 2. CONCRETE BALLAST SHALL NOT EXTEND ABOVE BOTTOM OF INFLUENT SEWER PIPE.
- CONTRACTOR TO COORDINATE DEPTH OF EXISTING HOUSE LATERAL SUCH THAT DEP GUIDELINES AND INTERNATIONAL PLUMBING CODES ARE MET.
- 4. ALL GRINDER PUMPS LOCATED WITHIN THE 100 YEAR FLOOD PLAIN SHALL BE EQUIPPED WITH A WATERTIGHT LID AND EXTEND PVC VENT ABOVE 100 YEAR FLOODPLAIN AS REQUIRED BY MANUFACTURER.
- PROVIDE 4"x4" LATERAL MARKER WITH LATERAL DEPTH PERMANENTLY MARKED AT END OF LATERAL.

RESIDENTIAL GRINDER PUMP DETAIL

NOT TO SCALE

THE DETAILS ON THIS SHEET PRESENT THE MINIMUM REQUIREMENTS FOR THE CONSTRUCTION OF WASTEWATER COLLECTION FACILITIES WHICH ARE TO CONVEY WASTEWATER TO AND THROUGH THE FAIRCHANCE - GEORGES JOINT MUNICIPAL SEWAGE AUTHORITY'S COLLECTION, CONVEYANCE AND TREATMENT SYSTEM. THE SITE DEVELOPER'S DESIGN ENGINEER UTUIZING THESE DETAILS SHALL REVIEW THE DETAILS AND PRESENT ANY MODIFICATIONS INDICESSITATED BY SITE CONDITIONS TO THE AUTHORITY FOR REVIEW, THE AUTHORITY NETHER WARRANTS NOR CUARANTEES THAT THE DETAILS PRESENTED HERBIN ARE APPLICABLE TO ALL SITE CONDITIONS. THE USE OF THIS SHEET IN THE PROJECT'S CONSTRUCTION DOCUMENTS SHALL SIGNIFY THAT THE SITE DEVELOPER'S DESIGN ENGINEER HAS REVIEWED THE DETAILS AND FOUND THEM ACCEPTABLE FOR THE PROJECT.

AN EMPLOYEE-OWNED COMPANY

0 West Kensinger Drive, Suite 400 Crenberry Township, PA 16066 (724) 779 - 4777 Pax (724) 779 - 4711 hng@trg-inc.com www.hrg-inc.com

FAIRCHANCE - GEORGES JOINT MUNICIPAL SEWAGE AUTHORITY STANDARD DETAILS

PROJ. MG	R CEH
DESIGN-	CEH
CADD-	CRC
CHECKED	-
SCALE-	AS SHOWN
DATE-	FEB. 2016

DRAWING NO. **DT-21**

NOTES:

1. THE POWER AND ALARM CABLE OF GRINDER PUMPS
LOCATED WITHIN THE 100 YEAR FLOOD PLAIN SHALL BE
PLACED IN 1" PVC CONDUIT THE ENTIRE WAY BETWEEN
THE GRINDER PUMP AND THE CONTROL PANEL

RESIDENTIAL GRINDER PUMP CONTROL PANEL DETAIL

NOT TO SCALE

THE DETAILS ON THIS SHEET PRESENT THE MINIMUM REQUIREMENTS FOR THE CONSTRUCTION OF WASTEWATER COLLECTION FACILITIES WHICH ARE TO CONVEY WASTEWATER TO AND THROUGH THE FAIRCHANCE — GEORGES JOINT MUNICIPAL SEWAGE AUTHORITY'S COLLECTION, CONVEYANCE AND TREATMENT SYSTEM. THE SITE DEVELOPER'S DESIGN ENGINEER UTILIZING THESE DETAILS SHALL REVIEW THE DETAILS AND PRESENT ANY MODIFICATIONS NECESSITATED BY SITE CONDITIONS TO THE AUTHORITY FOR REVIEW, THE AUTHORITY REPRESENTED HAVE WARRANTS NOR GUARANTEES HAT THE DETAILS PRESENTED HEREIN ARE APPLICABLE TO ALL SITE CONDITIONS. THE USE OF THIS SHEET IN THE PROJECT'S CONSTRUCTION DOCUMENTS SHALL SIGNEY THAT THE SITE DEVELOPER'S DESIGN ENGINEER HAS REVIEWED THE DETAILS AND FOUND THEM ACCEPTABLE FOR THE PROJECT.



200 West Kensinger Drive, Suite 400 Cramberry Township, PA 16066 (724) 779 - 4777 Fax (724) 779 - 4711 hrg@hrg-inc.com www.hrg-inc.com FAIRCHANCE - GEORGES JOINT MUNICIPAL SEWAGE AUTHORITY STANDARD DETAILS

PROJ. MG	R CEH
DESIGN-	CEH
CADO-	CRC
CHECKED-	-
SCALE-	AS SHOWN
DATE-	FEB. 2016

DT-22

DRAWING NO.

PROJECT 004307.0000

File name: P:\0043\004307_0000\C30\FG.MSA Standard Details\G0043070000_DT.dwg Loyout:DT-22 M

NOTE:

1. FUTURE LOW PRESSURE LATERAL CONNECTIONS SHALL
HAVE A 3' MIN. HDPE STUB WITH WATERTIGHT CAP
UPSTREAM OF THE CHECK VALVE AND MARKED WITH 4x4
TREATED POST.

LOW PRESSURE LATERAL CONNECTION DETAIL

NOT TO SCALE

THE DETAILS ON THIS SHEET PRESENT THE MINIMUM REQUIREMENTS FOR THE CONSTRUCTION OF WASTEWATER COLLECTION FACILITIES WHICH ARE TO CONVEY WASTEWATER TO AND THROUGH THE FAIRCHANCE — GEORGES JOINT MUNICIPAL SEWAGE AUTHORITYS COLLECTION, CONVEYANCE AND TREATMENT SYSTEM. THE SITE DEVELOPER'S DESIGN ENGINEER UTILIZING THESE DETAILS SHALL REVIEW THE DETAILS AND PRESENT ANY MODIFICATIONS NECESSITATED BY SITE CONDITIONS TO THE AUTHORITY FOR REVIEW. THE AUTHORITY FOR REVIEW WARRANTS NOR CUARANTEES THAT THE CETAILS PRESENTED HEREIN ARE APPLICABLE TO ALL SITE CONDITIONS. THE USE OF THIS SHEET IN THE PROJECT'S CONSTRUCTION DOCUMENTS SHALL SIGNIFY THAT THE SITE DEVELOPER'S DESIGN ENGINEER HAS REVIEWED THE DETAILS AND FOUND THEM ACCEPTABLE FOR THE PROJECT.



200 West Kensinger Drive, Suite 400 Cranberry Township, PA 16066 (724) 779 - 4777 Fax (724) 779 - 4711 hrg@thrg-inc.com www.hrg-inc.com FAIRCHANCE - GEORGES JOINT MUNICIPAL SEWAGE AUTHORITY STANDARD DETAILS

PROJ. MGR.	- CEH
DESIGN- C	EΗ
CADD- C	RC
CHECKED-	
SCALE- A	S SHOWN
DATE- F	EB. 2016

DT-23

PROJECT 004307.0000

File name: P: \0043\004307_0000\C30\fGaMSA Stendard Details\C0043070000_DT.dwg Layout: DT-23

REFER TO LPL CONNECTION DETAIL FOR CURB STOP AND CHECK VALVE REQUIREMENTS.

LPL CONNECTION TO GRAVITY SEWER DETAIL

NOT TO SCALE

THE DETAILS ON THIS SHEET PRESENT THE MINIMUM REQUIREMENTS FOR THE CONSTRUCTION OF WASTEWATER COLLECTION FACILITIES WHICH ARE TO CONVEY WASTEWATER TO AND THROUGH THE FAIRCHANCE — GEORGES JOINT MUNICIPAL SEWAGE AUTHORITY'S COLLECTION, CONVEYANCE AND TREATMENT SYSTEM. THE SITE DEVELOPER'S DESIGN ENGINEER UTILIZING THESE DETAILS SHALL REVIEW THE DETAILS AND PRESENT ANY MODIFICATIONS NECESSITATED BY SITE CONDITIONS TO THE AUTHORITY FOR REVIEW, THE AUTHORITY NEITHER WARRANTS NOR GUARANTEES THAT THE DETAILS PRESENTED HEREIN ARE APPLICABLE TO ALL SITE CONDITIONS. THE USE OF THIS SHEET IN THE PROJECT'S CONSTRUCTION COCUMENTS SHALL SIGNIFY THAT THE SITE DEVELOPER'S DESIGN ENGINEER HAS REVIEWED THE DETAILS AND FOUND THEM ACCEPTABLE FOR THE PROJECT.

HIRG THE ENGINE IN Engineering & Related Services
AN EMPLOYEE-OWNED COMPANY

200 West Kensinger Drive, Suite 400 Cramberry Township, PA 16066 (724) 779 - 4777 Fax (724) 779 - 4711 hrg@hrg-inc.com www.hrg-inc.com FAIRCHANCE - GEORGES JOINT MUNICIPAL SEWAGE AUTHORITY STANDARD DETAILS

PROJ. MG	R CEH
DESIGN-	CEH
CADD-	CRC
CHECKED-	-
SCALE-	AS SHOWN
DATE-	FEB. 2016

DT-24

NOTES:

1. WHERE CLEANOUT IS INSTALLED IN PAVED AREAS, DELETE CONCRETE PAD AND RESTORE PAVEMENT IN ACCORDANCE WITH CONTRACT DOCUMENTS.

LPS IN-LINE CLEANOUT DETAIL

NOT TO SCALE

THE DETAILS ON THIS SHEET PRESENT THE MINIMUM REQUIREMENTS FOR THE CONSTRUCTION OF WASTEWATER COLLECTION FACILITIES WHICH ARE TO CONVEY WASTEWATER TO AND THROUGH THE FAIRCHANCE — GEORGES JOINT MUNICIPAL SEWAGE AUTHORITYS COLLECTION, CONVEYANCE AND TREATMENT SYSTEM. THE SITE DEVELOPER'S DESIGN ENGINEER UTILIZING THESE DETAILS SHALL RETURN THE DETAILS AND PRESENT ANY MODIFICATIONS NECESSITATED BY SITE CONDITIONS TO THE AUTHORITY FOR REVIEW. THE AUTHORITY HETHER WARRANTS NOR CUARANTEES THAT THE DETAILS PRESENTED HEREIN ARE APPLICABLE TO ALL SITE CONDITIONS. THE USE OF THIS SHEET IN THE PROJECT'S CONSTRUCTION DOCUMENTS SHALL SIGNIFY THAT THE SITE DEVELOPER'S DESIGN ENGINEER HAS REVIEWED THE DETAILS AND FOUND THEM ACCEPTABLE FOR THE PROJECT.



200 West Kensinger Drive, Suite 400 Cramberry Township, PA 16066 (724) 779 - 4777 Fax (724) 779 - 4711 hrg@hrg-inc.com www.hrg-inc.com FAIRCHANCE - GEORGES JOINT MUNICIPAL SEWAGE AUTHORITY STANDARD DETAILS

١	PROJ. MGR CEH	٦
ı	DESIGN- CEH	
ı	CADO- CRC	1
ı	CHECKED-	
ı	SCALE- AS SHOWN	1
J	DATE- FEB. 2016)

DT-25

DRAWING NO.

PROJECT 004307.0000

File name: Pt.\2043\5004307_0000\C3D\FG.MSA Standard Details\60043070000_DT.owg LayouttD

NOTES:

1. WHERE CLEANOUT IS INSTALLED IN PAVED AREAS, DELETE CONCRETE PAD AND RESTORE PAVEMENT IN ACCORDANCE WITH CONTRACT PAVEMENT RESTORATION DETAIL

LPS TERMINAL CLEANOUT DETAIL

NOT TO SCALE

THE DETAILS ON THIS SHEET PRESENT THE MINIMUM REQUIREMENTS FOR THE CONSTRUCTION OF WASTEWATER COLLECTION FACILITIES WHICH ARE TO CONVEY WASTEWATER TO AND THROUGH THE FAIRCHANCE - GEORGES JOINT MUNICIPAL SEWAGE AUTHORITY'S COLLECTION, CONVEYANCE AND TREATMENT SYSTEM. THE SITE DEVELOPER'S DESIGN ENGINEER UTILIZING THESE DETAILS SHALL REVIEW THE DETAILS AND PRESENT ANY MODIFICATIONS NECESSITATED BY SITE CONDITIONS TO THE AUTHORITY FOR REVIEW. THE AUTHORITY NEITHER WARRANTS NOR QUARANTEES THAT THE DETAILS PRESENTED HEREIN ARE APPLICABLE TO ALL SITE CONDITIONS. THE USE OF THIS SHEET IN THE PROJECT'S CONSTRUCTION DOCUMENTS SHALL SIGNEY THAT THE SITE DEVELOPER'S DESIGN ENGINEER HAS REVIEWED THE DETAILS AND FOUND THEM ACCEPTABLE FOR THE PROJECT.

HEIDER ROWLAND & GRUDE INC Engineering & Related Services AN EMPLOYEE-OWNED COMPANY

200 West Kersinger Drive, Suite 400 Cranberry Township, PA 16066 (724) 779 - 4777 Fax (724) 779 - 4711 hrg@hrg-inc.com www.hrg-inc.com FAIRCHANCE - GEORGES JOINT MUNICIPAL SEWAGE AUTHORITY STANDARD DETAILS

١	PROJ. MG	Ri - CEH
ı	DESIGN-	CEH
ı	CADO	CRC
ı	CHECKED-	
ı	SCALE-	AS SHOWN
J	DATE-	FEB. 2016

DT-26

LOW PRESSURE FORCE MAIN DISCHARGE MANHOLE

NOT TO SCALE

THE DETAILS ON THIS SHEET PRESENT THE MINIMUM REQUIREMENTS FOR THE CONSTRUCTION OF WASTEWATER COLLECTION FACILITIES WHICH ARE TO CONVEY WASTEWATER TO AND THROUGH THE FAIRCHANCE — GEORGES JOINT MUNICIPAL SEWAGE ALITHORITY'S COLLECTION, CONVEYANCE AND TREATMENT SYSTEM. THE SITE DEVELOPER'S DESIGN ENGINEER UTILIZING THESE DETAILS SHALL REVIEW THE DETAILS AND PRESENT ANY MODIFICATIONS NECESSITATED BY SITE CONDITIONS TO THE AUTHORITY FOR REVIEW. THE AUTHORITY FOR REVIEW WARRANTS NOR QUARANTESS THAT THE DETAILS PRESENTED HEREIN ARE APPLICABLE TO ALL SITE CONDITIONS, THE USE OF THIS SHEET IN THE PROJECT'S CONSTRUCTION DOCUMENTS SHALL SIGNEY THAT THE SITE DEVELOPER'S DESIGN ENGINEER HAS REVIEWED THE DETAILS AND FOUND THEM ACCEPTABLE FOR THE PROJECT.



200 West Kensinger Drive, Suite 400 Cranberry Township, PA 16066 (724) 779 - 4777 Fax (724) 779 - 4711 hrg@hrg-inc.com www.hrg-inc.com FAIRCHANCE - GEORGES JOINT MUNICIPAL SEWAGE AUTHORITY STANDARD DETAILS

PROJ. MG	R CEH
DESIGN-	CEH
CADD-	CRC
CHECKED	-
SCALE-	AS SHOWN
DATE-	FEB. 2016

DT-27

DRAWNG NO.

PROJECT 004307.0000

pme: P:\0043\004307_0000\C3D\fGaMSA Standard Detains\00043070000_D1.6mg Layout:DT-27 May 05, 2017-1:46pm netoughton

- 1. CONTRACTOR SHALL USE DOGHOUSE MANHOLES FOR ALL NEW COMBINATION AIR VALVE INSTALLATIONS.
- CONTRACTOR TO COORDINATE THE DEPTH OF THE LOW PRESSURE SEWERS AT THE AIR RELEASE VALVE MANHOLE TO ENSURE CLEARANCES ARE MET AND THE LOCATION IS AT THE HIGH POINT.
- CONTRACTOR TO PROVIDE CLAMPS/BRACES AS NECESSARY TO SUPPORT CAV ASSEMBLY. ATTACH CLAMPS/BRACES TO MANHOLE AS NECESSARY.
- 4. SEE PENNOOT PUBLICATIONS 72M, RC-39M FOR ADDITIONAL DETAILS.

AIR RELEASE VALVE MANHOLE - LOW PRESSURE SEWER

NOT TO SCALE

THE DETAILS ON THIS SHEET PRESENT THE MINIMUM REQUIREMENTS FOR THE CONSTRUCTION OF WASTEWATER COLLECTION FACILITIES WHICH ARE TO CONVEY WASTEWATER TO AND THROUGH THE FAIRCHANCE — GEORGES JOINT MUNICIPAL SEWAGE AUTHORITY'S COLLECTION, CONVEYANCE AND TREATMENT SYSTEM. THE SITE DEVELOPER'S DESIGN REMOBER UTILIZING THESE DETAILS SHALL REVIEW THE DETAILS AND PRESENT ANY MODIFICATIONS NECESSITATED BY SITE CONDITIONS TO THE AUTHORITY FOR REVIEW. THE AUTHORITY NETHER WARRANTS NOR CULARANTEES THAT THE DETAILS PRESENTED HERBIN ARE APPLICABLE TO ALL SITE CONDITIONS. THE USE OF THIS SHEET IN THE PROJECT'S CONSTRUCTION DOCUMENTS SHALL SIGNIFY THAT THE SITE DEVELOPER'S DESIGN ENGINEER HAS REVIEWED THE DETAILS AND FOUND THEM ACCEPTABLE FOR THE PROJECT.

Engineering & Related Service:

est Kensinger Drive, Suite 400 beny Township, PA 16066 (224) 779 - 4777 Fax (724) 779 - 4711 hrg@ing-inc.com www.hrg-inc.com

FAIRCHANCE - GEORGES JOINT MUNICIPAL SEWAGE AUTHORITY STANDARD DETAILS

PROJ. MGR. - CEH CADD-CHECKED-SCALE-AS SHOWN FEB. 2016 DATE-

DT-28

TRACER WIRE SCHEMATIC - LOW PRESSURE SEWER

NOT TO SCALE

THE DETAILS ON THIS SHEET PRESENT THE MINIMUM REQUIREMENTS FOR THE CONSTRUCTION OF WASTEWATER COLLECTION FACILITIES WHICH ARE TO CONVEY WASTEWATER TO AND THROUGH THE FAIRCHANCE — GEORGES JOINT MUNICIPAL SEWAGE AUTHORITY'S COLLECTION, CONVEYANCE AND TREATMENT SYSTEM. THE SITE DEVELOPER'S DESIGN ENGINEER UNILZING THESE DETAILS SHALL REVIEW THE DETAILS AND PRESENT ANY MODIFICATIONS NECESSITATED BY SITE CONDITIONS TO THE AUTHORITY FOR REVIEW. THE AUTHORITY FOR REVIEW AND AUTHORITY FOR REVIEW AND AUTHORITY OF THE PROJECT'S CONSTRUCTION DOCUMENTS SHALL SIGNIFY THAT THE SITE DEVELOPER'S DESIGN ENGINEER HAS REVIEWED THE DETAILS AND FOUND THEM ACCEPTABLE FOR THE PROJECT.

HRG


Member Revelant/s Gratine Inc.
Engineering & Related Services
AN EMPLOYEE-OWNED COMPANY

200 West Karsinger Drive, Suite 400 Cranberry Township, PA 16066 (724) 779 - 4777 Fax (724) 779 - 4711 hrg@tug-inc.com www.hrg-inc.com FAIRCHANCE - GEORGES JOINT MUNICIPAL SEWAGE AUTHORITY STANDARD DETAILS

١	PROJ. MG	R CEH
ı	DESIGN-	CEH
ı	CADD-	CRC
ı	CHECKED-	-
ı	SCALE-	AS SHOWN
)	DATE-	FEB. 2016

DT-29

DRAWNG NO.



THE DETAILS ON THIS SHEET PRESENT THE MINIMUM REQUIREMENTS FOR THE CONSTRUCTION OF WASTEWATER COLLECTION FACILITIES WHICH ARE TO CONVEY WASTEWATER TO AND THROUGH THE FAIRCHANCE — GEORGES JOINT MUNICIPAL SEWAGE AUTHORITY'S COLLECTION, CONVEYANCE AND TREATMENT SYSTEM. THE SITE DEVELOPER'S DESIGN ENGINEER UNLIDING THESE DETAILS SHALL REVIEW THE DETAILS AND PRESENT ANY MODIFICATIONS NECESSITATED BY SITE CONDITIONS TO THE AUTHORITY FOR REVIEW. THE AUTHORITY FOR REVIEW AND AUTHORITY FOR REVIEW AND AUTHORITY FOR REVIEW THE DETAILS AND PRESENTED HE PREVIABLE TO ALL SITE CONDITIONS. THE USE OF THIS SHEET IN THE PROJECT'S CONSTRUCTION DOCUMENTS SHALL SIGNEY THAT THE SITE DEVELOPER'S DESIGN ENGINEER HAS REVIEWED THE DETAILS AND FOUND THEM ACCEPTABLE FOR THE PROJECT.




200 West Kensinger Drive, Suite 400 Cranberry Township, PA 16066 (724) 779 - 4777 Fax (724) 779 - 4711 hrg@fug-inc.com www.hrg-inc.com FAIRCHANCE - GEORGES JOINT
MUNICIPAL SEWAGE AUTHORITY
STANDARD DETAILS

PROJ. MG	R CEH
DESIGN-	CEH
CADD-	CRC
CHECKED-	
SCALE-	AS SHOWN
DATE-	FEB. 2016

DT-30


PROJECT 004307.0000

File name: P:\0043\0043\004302_0000\C30\f6.4MSA Standard Details\60045070000_DT.dwg LayouttDT-30 May 05,



ELBOW DIMENSION SCHEDULE											
DIM.	3"-90"	2 1/2"-90"	2"-90"	1 1/2"-90*	3"-45	2 1/2"-45	2"-45*	1 1/2"-45"	3"-22 1/2"	2 1/2"-22 1/2"	3"-11 1/4"
Α	20	18	16	14	18	16	14	12	16	14	12
В	15	15	14	14	15	15	14	14	15	15	14

A & B DIMENSIONS ARE IN INCHES



HORIZONTAL THRUST BLOCK DETAILS (LOW PRESSURE SEWERS)

NOT TO SCALE

THE DETAILS ON THIS SHEET PRESENT THE MINIMUM REQUIREMENTS FOR THE CONSTRUCTION OF WASTEWATER COLLECTION FACILITIES WHICH ARE TO CONVEY WASTEWATER TO AND THROUGH THE FAIRCHANCE — GEORGES JOINT MUNICIPAL SEWAGE AUTHORITY'S COLLECTION, CONVEYANCE AND TREATMENT SYSTEM. THE SITE DEVELOPER'S DESIGN ENGINEER UTILIZING THESE DETAILS SHALL REVIEW THE DETAILS AND PRESENT ANY MODIFICATIONS INCESSITATED BY SITE CONDITIONS TO THE AUTHORITY FOR REVIEW, THE AUTHORITY METHOR QUARANTES OR QUARANTESS THAT THE DETAILS PRESENTED HERBIN ARE APPLICABLE TO ALL SITE CONDITIONS. THE USE OF THIS SHEET IN THE PROJECT'S CONSTRUCTION DOCUMENTS SHALL SIGNIFY THAT THE SITE DEVELOPER'S DESIGN ENGINEER HAS REVIEWED THE DETAILS AND FOUND THEM ACCEPTABLE FOR THE PROJECT.

HEIDER ROWARD & GRUDE INC.
Engineering & Related Services
AN EMPLOYEE-OWNED COMPANY

200 West Kensinger Drive, Suite 400 Cranberry Township, PA 16066 (724) 779 - 4777 Fax (724) 779 - 4711 hrg@furg-inc.com www.hrg-inc.com FAIRCHANCE - GEORGES JOINT
MUNICIPAL SEWAGE AUTHORITY
STANDARD DETAILS

_			
١	PROJ. MGR CEH	7	1
ı	DESIGN CEH		ŀ
ı	CADD- CRC	7	ı
ı	CHECKED-		L
ı	SCALE- AS SHOWN	٦	
J	DATE- FEB. 2016	J	Ĺ

DT-31

PROJECT 004307.0000

File name: P:\0043\004302_0000\C30\FGAMSA Standers Details\000043070000_DT.dwg Layout:DT-31 May 05, 2017-1:47pm nstought